

From: [Irwin, Barb J](#)
To: [Randell, George](#)
Cc: [Rosegay, Margaret](#)
Subject: Dynege Sampling Plan
Date: Monday, August 18, 2014 5:29:46 AM
Attachments: [image001.png](#)
[image002.png](#)
[Dynege Sampling Plan and Results-8-17-14.pdf](#)

Good morning George:

As previously discussed with you and in accordance with guidance you have provided, Dynege is submitting the attached Concrete Floor and Trench Sampling Plan and Report that includes Tables and Figures showing all the PCB sampling data and locations described in the Plan. Based on your prior concurrence Dynege implemented the Plan and the results show, as presented in Tables 1-4 of the Report, show that all samples are either non-detect or below the site-specific cleanup objectives for PCBs (i.e. <0.74 ppm for "common" Aroclors, and 1 ppm total PCBs, per EPA's industrial Regional Screening Level). A copy of this report and all the laboratory reports will be burned to a CD and mailed out to you today.

As mentioned last week, we hoping to receive your decision approving the reuse of all concrete trench and floor material in the very near future so that Unit 3 & 4 trenches may be left in place and demolished with the rest of power block foundation. As we have discussed, segregation and separate handling of this material is very expensive and time-consuming and unnecessary based on the data that has been collected. Our contractor informed me last Friday that in order for them to remain on schedule they would need to start separating out the trench material on Unit 3, beginning on September 25th, if we do not have a decision and approval from you by then. As there is a significant additional cost to Dynege for separating out the trench material, we hope to avoid that outcome.

We certainly understand your time constraints, but kindly request that you expedite your review of our data and approve the reuse of the trench material. We appreciate your time and effort and look forward to hearing from you soon.

Regards, Barb

Barb Irwin

Director Environmental
Dynergy Operating Company

Cell: 217-519-4035

e-mail: barb.irwin@dynergy.com

Dynergy South Bay, LLC
990 Bay Blvd.
Chula Vista, CA 91911

From: Irwin, Barb J
Sent: Wednesday, August 13, 2014 9:23 AM
To: 'Randell.George@epa.gov'
Cc: 'Rosegay, Margaret'
Subject: FW: Site Visit

Good morning George:

Meg forwarded your e-mail to me. Let me check our schedules and I'll get back to you later this afternoon or first thing in the morning. Also, we are about to send you all the sample data we've collected as per the sampling plan. I hope to have that to you tomorrow also.

I'll be in touch soon, Barb

Barb Irwin

Director Environmental
Dynergy Operating Company

Cell: 217-519-4035

e-mail: barb.irwin@dynergy.com

Dynergy South Bay, LLC
990 Bay Blvd.
Chula Vista, CA 91911

From: Rosegay, Margaret [<mailto:margaret.rosegay@pillsburylaw.com>]
Sent: Wednesday, August 13, 2014 8:07 AM
To: Irwin, Barb J
Subject: FW: Site Visit

Please contact George to discuss.

Margaret Rosegay | Partner

Pillsbury Winthrop Shaw Pittman LLP
Four Embarcadero Center, 22nd Floor | San Francisco, CA 94111-5998

t 415.983.1305 | f 415.983.1200 | c 415.279.6310
margaret.rosegay@pillsburylaw.com | website bio

ABU DHABI AUSTIN BEIJING HOUSTON LONDON LOS ANGELES NASHVILLE NEW YORK
NORTHERN VIRGINIA PALM BEACH SACRAMENTO SAN DIEGO SAN DIEGO NORTH COUNTY
SAN FRANCISCO SHANGHAI SILICON VALLEY TOKYO WASHINGTON, DC



From: Randell, George [<mailto:Randell.George@epa.gov>]
Sent: Wednesday, August 13, 2014 8:05 AM
To: Rosegay, Margaret
Subject: Site Visit

Good Morning

I will be in the Los Angeles area from September 2-5. I am looking to come and do a site visit is possible. I am wondering what days/times would be the most convenient. I also need to know in order to provide a kind of itinerary for my travel. Thank you for your time and input. I look forwarding to seeing you and the sites soon.

Thank you

George Randell

Waste Management Division
U.S. EPA
75 Hawthorne Street
San Francisco, CA 94105
(415) 972-3439

The contents of this message, together with any attachments, are intended only for the use of the individual or entity to which they are addressed and may contain information that is legally privileged, confidential and exempt from disclosure. If you are not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this message, or any attachment, is strictly prohibited. If you have received this message in error, please notify the original sender or the Pillsbury Winthrop Shaw Pittman Help Desk at Tel: 800-477-0770, Option 1, immediately by telephone or by return E-mail and delete this message, along with any attachments, from your computer. Thank you.